

Instal·lació de CentOS 7 per l'Avance III 400 MHz SB - Part 1

ISO d'instal·lació

Instal·lo el sistema operatiu CentOS 7.9-2009 de 2021-11-12 a partir de la imatge ISO CentOS-7-x86_64-DVD-2009.iso descarregada de la [rèplica del magatzem de CentOS al CSUC](#),

```
# cd /home/miquel/Informatica/CentOS/
# wget http://ftp.csuc.cat/centos/7/isos/x86_64/CentOS-7-x86_64-DVD-2009.iso
--2021-08-18 11:31:58--
http://ftp.csuc.cat/centos/7/isos/x86_64/CentOS-7-x86_64-DVD-2009.iso
Resolving ftp.csuc.cat (ftp.csuc.cat)... 84.88.0.29
Connecting to ftp.csuc.cat (ftp.csuc.cat)|84.88.0.29|:80... connected.
HTTP request sent, awaiting response... 200 OK
Length: 4712300544 (4.4G) [application/octet-stream]
Saving to: 'CentOS-7-x86_64-DVD-2009.iso'

CentOS-7-x86_64-DVD-2009.iso
100%[=====>] 4.39G
8.16MB/s in 7m 15s

2021-08-18 11:39:13 (10.3 MB/s) - 'CentOS-7-x86_64-DVD-2009.iso' saved
[4712300544/4712300544]
```

i copiada amb dd a un pendrive USB-3

```
# dd if=CentOS-7-x86_64-DVD-2009.iso of=/dev/sdg
9203712+0 records in
9203712+0 records out
4712300544 bytes (4.7 GB) copied, 817.294 s, 5.8 MB/s
```

Malauradament, el primer cop que intento instal·lar CentOS, el programa d'instal·lació dona un error al verificar el pendrive i s'interromp la instal·lació. Per descartar un problema al fitxer ISO descarregat, calculo la signatura SHA-256 del fitxer

```
c# sha256sum CentOS-7-x86_64-DVD-2009.iso
e33d7b1ea7a9e2f38c8f693215dd85254c3a4fe446f93f563279715b68d07987 CentOS-7-
x86_64-DVD-2009.iso
```

i comprovo que coincideix amb la signatura al fitxer sha256sum.txt descarregat de la rèplica al CSUC

```
# cat sha256sum.txt
689531ccea9cf484378481ae762fae362791a9be078fda10e4f6977bf8fa71350 CentOS-7-
x86_64-Everything-2009.iso
```

```
b79079ad71cc3c5ceb3561fff348a1b67ee37f71f4cddfec09480d4589c191d6 CentOS-7-x86_64-NetInstall-2009.iso
07b94e6b1a0b0260b94c83d6bb76b26bf7a310dc78d7a9c7432809fb9bc6194a CentOS-7-x86_64-Minimal-2009.iso
e33d7b1ea7a9e2f38c8f693215dd85254c3a4fe446f93f563279715b68d07987 CentOS-7-x86_64-DVD-2009.iso
```

de forma que l'error es deu haver originat al fer la còpia amb dd. Per evitar que es torni a produir, **instal·lo dcfldd i dc3dd**,

```
# apt install dcfldd
# apt install dc3dd
```

unes versions millorades de dd que verifiquen que la còpia coincideixi amb l'original, i faig servir dc3dd per fer la còpia sense errors,

```
# dc3dd if=CentOS-7-x86_64-DVD-2009.iso of=/dev/sdg hash=sha256 hlog=centos-usb-sha256sum.log log=centos-usb.log verb=on

dc3dd 7.2.641 started at 2021-08-18 13:22:24 +0200
compiled options:
command line: dc3dd if=CentOS-7-x86_64-DVD-2009.iso of=/dev/sdg hash=sha256 hlog=centos-usb-sha256sum.log log=centos-usb.log verb=on
sector size: 512 bytes (assumed)
 4712300544 bytes ( 4.4 G ) copied ( 100% ), 195 s, 23 M/s

input results for file `CentOS-7-x86_64-DVD-2009.iso':
 9203712 sectors in
 e33d7b1ea7a9e2f38c8f693215dd85254c3a4fe446f93f563279715b68d07987 (sha256)

output results for device `/dev/sdg':
 9203712 sectors out

dc3dd completed at 2021-08-18 13:25:38 +0200
```

Finalment, repeteixo el procés d'instal·lació a partir del pendrive i aquest cop el programa d'instal·lació del CentOS s'executa sense errors.

Enllaços d'interès

- [dcfldd - Cerca de Google](#)
- [dcfldd\(1\) - Linux man page](#)
- [dcfldd](#), at Forensics Wiki.
- [dc3dd\(1\) - Linux man page](#)
- [dc3dd | Penetration Testing Tools](#), KALI tools.
- [dc3dd](#), at Forensics Wiki.
- [# Simple Forensics imaging with dd, dc3dd & dcfldd - Forensics Matters](#)

Magatzems (repositories) addicionals

La llista de magatzems actualment configurats és,

```
# yum repolist
Loaded plugins: fastestmirror, langpacks
Loading mirror speeds from cached hostfile
 * base: ftp.csuc.cat
 * extras: ftp.csuc.cat
 * updates: ftp.csuc.cat
repo id                repo name                status
base/7/x86_64          CentOS-7 - Base         10,072
extras/7/x86_64        CentOS-7 - Extras       498
updates/7/x86_64       CentOS-7 - Updates      2,567
repolist: 13,137
```

Cal afegir aquests magatzems addicionals: [bruker](#), [elrepo](#) i [epel](#) per tenir la mateixa configuració que als ordinadors dels Avance Neo o de l'Avance III 600 MHz. Les instruccions per afegir-los estan disponibles als seus llocs web i a altres pàgines d'Internet.

- [CentOS 7 TopSpin Installation](#)
- ["The Community Enterprise Linux Repository" \(ELRepo\)](#); i
- [Extra Packages for Enterprise Linux \(EPEL\)](#)

La instal·lació del magatzem EPEL no dona cap problema:

```
# yum install
https://dl.fedoraproject.org/pub/epel/epel-release-latest-7.noarch.rpm
[...]
Installed:
  epel-release.noarch 0:7-13

Complete!
```

i la instal·lació d'ELRepo tampoc,

```
# rpm --import https://www.elrepo.org/RPM-GPG-KEY-elrepo.org
# yum install https://www.elrepo.org/elrepo-release-7.el7.elrepo.noarch.rpm
[...]
Installed:
  elrepo-release.noarch 0:7.0-5.el7.elrepo

Complete!
```

Un cop instal·lats, afegixo el magatzem de Bruker, i instal·lo els paquets necessaris pel TopSpin i per l'adquisició, així com els paquets dels quals depenen,

```
# yum --nogpgcheck install
https://repo-bbio.brucker.com/CentOS/7/Bruker-Addon/brucker-addon-latest.x86_64.rpm
```

[...]

Installed:

bruker-addon.noarch 0:1.4-0.el7.brk

Complete!

```
# yum install epel-release
```

[...]

```
Package epel-release-7-13.noarch already installed and latest version
Nothing to do
```

```
# yum install --enablerepo=bruker bruker-topspin-environ
```

[...]

Resolving Dependencies

```
--> Running transaction check
```

```
---> Package bruker-topspin-environ.x86_64 0:1.0-21.el7.brk will be
installed
```

```
--> Processing Dependency: xorg-x11-fonts-IS08859-1-75dpi for package:
bruker-topspin-environ-1.0-21.el7.brk.x86_64
```

```
--> Processing Dependency: xorg-x11-fonts-75dpi for package: bruker-topspin-
environ-1.0-21.el7.brk.x86_64
```

```
:
```

```
---> Package nettle.i686 0:2.7.1-9.el7_9 will be installed
```

```
---> Package nettle.x86_64 0:2.7.1-9.el7_9 will be an update
```

```
--> Finished Dependency Resolution
```

Dependencies Resolved

```
:
```

```
Install 1 Package (+161 Dependent packages)
```

```
Upgrade ( 39 Dependent packages)
```

Total download size: 157 M

Is this ok [y/d/N]: y

Downloading packages:

No Presto metadata available for updates

warning:

```
/var/cache/yum/x86_64/7/base/packages/ORBit2-2.14.19-13.el7.i686.rpm: Header
V3 RSA/SHA256 Signature, key ID f4a80eb5: NOKEY
```

```
Public key for ORBit2-2.14.19-13.el7.i686.rpm is not installed
```

```
(1/201): ORBit2-2.14.19-13.el7.i686.rpm
```

```
| 171 kB 00:00:00
```

```
(2/201): PackageKit-gtk3-module-1.1.10-2.el7.centos.i686.rpm
```

```
| 12 kB 00:00:00
```

```
:
```

```
(200/201): systemd-219-78.el7_9.3.x86_64.rpm
```

```
| 5.1 MB 00:00:01
(201/201): xorg-x11-fonts-IS08859-1-75dpi-7.5-9.el7.noarch.rpm
| 933 kB 00:00:01
-----
-----
Total
9.8 MB/s | 157 MB 00:00:16
Retrieving key from file:///etc/pki/rpm-gpg/RPM-GPG-KEY-CentOS-7
Importing GPG key 0xF4A80EB5:
  Userid      : "CentOS-7 Key (CentOS 7 Official Signing Key)
<security@centos.org>"
  Fingerprint: 6341 ab27 53d7 8a78 a7c2 7bb1 24c6 a8a7 f4a8 0eb5
  Package     : centos-release-7-9.2009.0.el7.centos.x86_64 (@anaconda)
  From        : /etc/pki/rpm-gpg/RPM-GPG-KEY-CentOS-7
Is this ok [y/N]: y
Retrieving key from file:///etc/pki/rpm-gpg/RPM-GPG-KEY-EPEL-7
Importing GPG key 0x352C64E5:
  Userid      : "Fedora EPEL (7) <epel@fedoraproject.org>"
  Fingerprint: 91e9 7d7c 4a5e 96f1 7f3e 888f 6a2f aea2 352c 64e5
  Package     : epel-release-7-13.noarch (@/epel-release-latest-7.noarch)
  From        : /etc/pki/rpm-gpg/RPM-GPG-KEY-EPEL-7
Is this ok [y/N]: y
Running transaction check
Running transaction test
Transaction test succeeded
Running transaction
  Updating    : libX11-common-1.6.7-3.el7_9.noarch
1/240
  Installing : kernel-headers-3.10.0-1160.36.2.el7.x86_64
2/240
  Installing : libgcc-4.8.5-44.el7.i686
3/240
  :
  :
  Installing : libcanberra-gtk2-0.30-9.el7.i686
200/240
  Installing : bruker-topspin-environ-1.0-21.el7.brk.x86_64
201/240
      All required 32bit libraries are present
  Cleanup    : libX11-devel-1.6.7-2.el7.x86_64
202/240
  Cleanup    : systemd-sysv-219-78.el7.x86_64
203/240
  :
  :
  Cleanup    : nss-softokn-freebl-3.44.0-8.el7_7.x86_64
239/240
  Cleanup    : glibc-2.17-317.el7.x86_64
240/240
  Verifying  : gnome-vfs2-2.24.4-14.el7.i686
1/240
```

```
Verifying : gcc-c++-4.8.5-44.el7.x86_64
2/240
:
:
Verifying : gtk3-imodule-xim-3.22.30-5.el7.x86_64
239/240
Verifying : mesa-libEGL-18.3.4-10.el7.x86_64
240/240
```

Installed:

```
bruker-topspin-environ.x86_64 0:1.0-21.el7.brk
```

Dependency Installed:

```
GConf2.i686 0:3.2.6-8.el7
ORBit2.i686 0:2.14.19-13.el7
PackageKit-glib.i686 0:1.1.10-2.el7.centos
PackageKit-gtk3-module.i686 0:1.1.10-2.el7.centos
:
:
xorg-x11-fonts-IS08859-1-75dpi.noarch 0:7.5-9.el7 xz-
libs.i686 0:5.2.2-1.el7
zlib.i686 0:1.2.7-19.el7_9
```

Dependency Updated:

```
freetype.x86_64 0:2.8-14.el7_9.1 glib2.x86_64
0:2.56.1-9.el7_9 glibc.x86_64 0:2.17-324.el7_9
glibc-common.x86_64 0:2.17-324.el7_9 gtk3.x86_64
0:3.22.30-6.el7 gtk3-imodule-xim.x86_64 0:3.22.30-6.el7
libX11.x86_64 0:1.6.7-3.el7_9 libX11-common.noarch
0:1.6.7-3.el7_9 libX11-devel.x86_64 0:1.6.7-3.el7_9
libblkid.x86_64 0:2.23.2-65.el7_9.1 libgudev1.x86_64
0:219-78.el7_9.3 libmount.x86_64 0:2.23.2-65.el7_9.1
libsmartcols.x86_64 0:2.23.2-65.el7_9.1 libuuid.x86_64
0:2.23.2-65.el7_9.1 mesa-libEGL.x86_64 0:18.3.4-12.el7_9
mesa-libGL.x86_64 0:18.3.4-12.el7_9 mesa-libgbm.x86_64
0:18.3.4-12.el7_9 mesa-libglapi.x86_64 0:18.3.4-12.el7_9
nettle.x86_64 0:2.7.1-9.el7_9 nspr.x86_64
0:4.25.0-2.el7_9 nss-softokn-freebl.x86_64 0:3.53.1-6.el7_9
nss-util.x86_64 0:3.53.1-1.el7_9 openssl.x86_64
1:1.0.2k-21.el7_9 openssl-libs.x86_64 1:1.0.2k-21.el7_9
pulseaudio.x86_64 0:10.0-6.el7_9 pulseaudio-libs.x86_64
0:10.0-6.el7_9 pulseaudio-libs-glib2.x86_64 0:10.0-6.el7_9
pulseaudio-module-bluetooth.x86_64 0:10.0-6.el7_9 pulseaudio-module-
x11.x86_64 0:10.0-6.el7_9 pulseaudio-utils.x86_64 0:10.0-6.el7_9
qt.x86_64 1:4.8.7-9.el7_9 qt-mysql.x86_64
1:4.8.7-9.el7_9 qt-x11.x86_64 1:4.8.7-9.el7_9
systemd.x86_64 0:219-78.el7_9.3 systemd-libs.x86_64
0:219-78.el7_9.3 systemd-python.x86_64 0:219-78.el7_9.3
systemd-sysv.x86_64 0:219-78.el7_9.3 util-linux.x86_64
```

```
0:2.23.2-65.el7_9.1      zlib.x86_64 0:1.2.7-19.el7_9
```

```
Complete!
```

El resultat és ara tenim disponibles els mateixos magatzems que a l'ordinador de l'Avance Neo 500 MHz, i un d'extra que potser no cal i que podríem eliminar: "Bruker-Addon-7 - Public Updates (bruker/7)",

```
# yum repolist
Loaded plugins: fastestmirror, langpacks
Loading mirror speeds from cached hostfile
 * base: ftp.csuc.cat
 * elrepo: mirrors.coreix.net
 * epel: mirror.eixamcoop.cat
 * extras: ftp.csuc.cat
 * updates: ftp.csuc.cat
repo id                repo name
status
base/7/x86_64          CentOS-7 - Base
10,072
bruker/7               Bruker-Addon-7 - Public Updates
110+13
elrepo                 ELRepo.org Community Enterprise Linux Repository
- el7                  128
epel/x86_64            Extra Packages for Enterprise Linux 7 - x86_64
13,634
extras/7/x86_64       CentOS-7 - Extras
498
updates/7/x86_64      CentOS-7 - Updates
2,567
repolist: 26,899
```

Instal·lació de paquets de Bruker



Desactivació del magatzem Bruker



Actualització del programari instal·lat

Després d'afegir els nous magatzems, actualitzo el programari instal·lat,

```
# yum check-update
Loaded plugins: fastestmirror, langpacks
```

Loading mirror speeds from cached hostfile

epel/x86_64/metalink

| 22 kB 00:00:00

- * base: ftp.csuc.cat
- * elrepo: ftp.nluug.nl
- * epel: mirror.eixamcoop.cat
- * extras: ftp.csuc.cat
- * updates: ftp.csuc.cat

base

| 3.6 kB 00:00:00

brucker

| 2.9 kB 00:00:00

elrepo

| 3.0 kB 00:00:00

epel

| 4.7 kB 00:00:00

extras

| 2.9 kB 00:00:00

updates

| 2.9 kB 00:00:00

(1/3): epel/x86_64/updateinfo

| 1.0 MB 00:00:00

(2/3): updates/7/x86_64/primary_db

| 9.6 MB 00:00:01

(3/3): epel/x86_64/primary_db

| 6.9 MB 00:00:04

NetworkManager.x86_64	1:1.18.8-2.el7_9
updates	
NetworkManager-adsl.x86_64	1:1.18.8-2.el7_9
updates	
NetworkManager-bluetooth.x86_64	1:1.18.8-2.el7_9
updates	
NetworkManager-glib.x86_64	1:1.18.8-2.el7_9
updates	
NetworkManager-libnm.x86_64	1:1.18.8-2.el7_9
updates	
NetworkManager-ppp.x86_64	1:1.18.8-2.el7_9
updates	
:	
:	
xorg-x11-drv-ati.x86_64	19.0.1-3.el7_7
updates	
xorg-x11-server-Xorg.x86_64	1.20.4-16.el7_9
updates	
xorg-x11-server-common.x86_64	1.20.4-16.el7_9
updates	
xterm.x86_64	295-3.el7_9.1
updates	

Obsoleting Packages

```

bruker-system-environ.noarch          1.0-5.el7.brk
bruker
  okular.x86_64

```

yum update

```

Loaded plugins: fastestmirror, langpacks
Loading mirror speeds from cached hostfile
 * base: ftp.csuc.cat
 * elrepo: mirrors.coreix.net
 * epel: mirror.eixamcoop.cat
 * extras: ftp.csuc.cat
 * updates: ftp.csuc.cat

```

Resolving Dependencies

```

--> Running transaction check
---> Package NetworkManager.x86_64 1:1.18.8-1.el7 will be updated
---> Package NetworkManager.x86_64 1:1.18.8-2.el7_9 will be an update
---> Package NetworkManager-adsl.x86_64 1:1.18.8-1.el7 will be updated
---> Package NetworkManager-adsl.x86_64 1:1.18.8-2.el7_9 will be an update
---> Package NetworkManager-bluetooth.x86_64 1:1.18.8-1.el7 will be updated
---> Package NetworkManager-bluetooth.x86_64 1:1.18.8-2.el7_9 will be an
update
:
:

```

```

--> Running transaction check
---> Package libzip.x86_64 0:0.10.1-8.el7 will be installed

```

```

base/7/x86_64/filelists_db
| 7.2 MB 00:00:00
bruker/7/filelists_db
| 26 kB 00:00:00
elrepo/filelists_db
| 35 kB 00:00:00
epel/x86_64/filelists_db
| 12 MB 00:00:01
extras/7/x86_64/filelists_db
| 235 kB 00:00:00
updates/7/x86_64/filelists_db
| 5.5 MB 00:00:00
--> Finished Dependency Resolution

```

Dependencies Resolved

```

=====
=====
=====

```

Package	Arch	Repository
Version		
Size		

```

=====
=====
=====

```

```
Installing:
  bruker-system-environ                noarch
  1.0-5.el7.brk                         bruker
  11 k
    replacing okular.x86_64 4.10.5-9.el7
  kernel                                x86_64
  3.10.0-1160.36.2.el7                  updates
  50 M
Updating:
  NetworkManager                        x86_64
  1:1.18.8-2.el7_9                      updates
  1.9 M
  :
  :
  xorg-x11-server-Xvfb                  x86_64
  1.20.4-16.el7_9                       updates
  856 k
  xorg-x11-xbitmaps                     noarch
  1.1.1-6.el7                            base
  37 k
  yumex                                 noarch
  3.0.17-1.el7                           epel
  444 k
```

Transaction Summary

```
=====
=====
=====
```

```
Install    2 Packages (+76 Dependent packages)
Upgrade   228 Packages
```

```
Total download size: 602 M
Is this ok [y/d/N]: y
```

```
Downloading packages:
No Presto metadata available for updates
(1/306): NetworkManager-adsl-1.18.8-2.el7_9.x86_64.rpm
| 163 kB  00:00:00
(2/306): NetworkManager-1.18.8-2.el7_9.x86_64.rpm
| 1.9 MB  00:00:00
(3/306): NetworkManager-bluetooth-1.18.8-2.el7_9.x86_64.rpm
| 183 kB  00:00:00
:
:
(304/306): xorg-x11-server-Xvfb-1.20.4-16.el7_9.x86_64.rpm
| 856 kB  00:00:00
(305/306): xterm-295-3.el7_9.1.x86_64.rpm
| 456 kB  00:00:00
(306/306): yumex-3.0.17-1.el7.noarch.rpm
```

```
| 444 kB 00:00:00
-----
-----
-----
Total
11 MB/s | 602 MB 00:00:55
Running transaction check
Running transaction test
Transaction test succeeded
Running transaction
  Updating   : coreutils-8.22-24.el7_9.2.x86_64
1/535
  Installing : kdesdk-common-4.10.5-8.el7.noarch
2/535
  Updating   : libldb-1.5.4-2.el7.x86_64
3/535
  Updating   : python-libs-2.7.5-90.el7.x86_64
4/535
  :
  :
  Updating   : bpftool-3.10.0-1160.36.2.el7.x86_64
305/535
  Updating   : iwl4965-firmware-228.61.2.24-80.el7_9.noarch
306/535
  Cleanup    : samba-client-4.10.16-5.el7.x86_64
307/535
  Cleanup    : ipa-client-4.6.8-5.el7.centos.x86_64
308/535
  :
  :
  Cleanup    : gd-2.0.35-26.el7.x86_64
534/535
  Cleanup    : bpftool-3.10.0-1160.el7.x86_64
535/535
  Verifying  : 1:NetworkManager-tui-1.18.8-2.el7_9.x86_64
1/535
  Verifying  : 7:device-mapper-event-1.02.170-6.el7_9.5.x86_64
2/535
  :
  :
  Verifying  : libstoragegmt-1.8.1-1.el7.x86_64
534/535
  Verifying  : gnome-settings-daemon-3.28.1-8.el7.x86_64
535/535

Installed:
  bruker-system-environ.noarch 0:1.0-5.el7.brk
kernel.x86_64 0:3.10.0-1160.36.2.el7

Dependency Installed:
  ImageMagick.x86_64 0:6.9.10.68-5.el7_9   SDL.x86_64 0:1.2.15-17.el7
```

Last update: 2021/08/20 16:11 informatica:hp_z230_400sb_centos7_1 https://sermn.uab.cat/wiki/doku.php?id=informatica:hp_z230_400sb_centos7_1&rev=1629468662

```
Xaw3d.x86_64 0:1.6.2-4.el7          advancecomp.x86_64 0:1.15-22.el7
apr.x86_64 0:1.4.8-7.el7          apr-util.x86_64 0:1.5.2-6.el7
compat-libstdc++-33.x86_64 0:3.2.3-72.el7 evince.x86_64 0:3.28.2-10.el7
:
:
vim-minimal.x86_64 2:7.4.629-8.el7_9
wpa_supplicant.x86_64 1:2.6-12.el7_9.2          xorg-x11-
drv-ati.x86_64 0:19.0.1-3.el7_7
xorg-x11-server-Xorg.x86_64 0:1.20.4-16.el7_9          xorg-x11-
server-common.x86_64 0:1.20.4-16.el7_9          xterm.x86_64
0:295-3.el7_9.1
```

Replaced:

```
okular.x86_64 0:4.10.5-9.el7
```

Complete!

From:
<https://sermn.uab.cat/wiki/> - **SeRMN Wiki**

Permanent link:
https://sermn.uab.cat/wiki/doku.php?id=informatica:hp_z230_400sb_centos7_1&rev=1629468662

Last update: **2021/08/20 16:11**

