

Servidor web/dades

Actualització a Debian 9.13 "stretch" - Agost de 2022

Debian 9.13 es va publicar el 18 de juliol de 2020. Debian 9.0 es va publicar inicialment el 17 de juny de 2017.

Aquesta pàgina conté la descripció detallada del procés d'actualització.

Les instruccions i recomanacions per instal·lar Debian 9 "stretch" estan disponibles a:

- [Debian stretch -- Installation Guide](#)
- [Debian GNU/Linux Installation Guide](#). Installation instructions for the Debian GNU/Linux 9 system (codename "stretch"), for the 64-bit PC ("amd64") architecture.
- [Installing Debian 9.13](#)
- [Release Notes for Debian 9 \(stretch\), 64-bit PC-](#)

i les instruccions i recomanacions per actualitzar Debian 8 "jessie" a Debian 9 "stretch" estan disponibles a:

- [Chapter 4. Upgrades from Debian 8 \(jessie\)](#)

Eliminació de programari sense us: Libreoffice

Desinstal·lo el programa Libreoffice i allibero 357 MB d'espai de disc:

```
Package 'libreoffice-wiki-publisher' is not installed, so not removed
The following packages will be REMOVED:
  libreoffice libreoffice-avmedia-backend-gstreamer libreoffice-base
  libreoffice-base-core libreoffice-base-drivers libreoffice-calc libreoffice-
  common libreoffice-core
  libreoffice-draw libreoffice-evolution libreoffice-gnome libreoffice-gtk
  libreoffice-help-en-us libreoffice-impress libreoffice-java-common
  libreoffice-math
  libreoffice-report-builder-bin libreoffice-sdbc-firebird libreoffice-sdbc-
  hsqldb libreoffice-style-galaxy libreoffice-style-tango libreoffice-writer
  mythes-en-us python3-uno
  unoconv
0 upgraded, 0 newly installed, 25 to remove and 0 not upgraded.
After this operation, 357 MB disk space will be freed.
Do you want to continue? [Y/n]
(Reading database ... 203613 files and directories currently installed.)
Removing libreoffice (1:4.3.3-2+deb8u13) ...
...
Processing triggers for gnome-icon-theme (3.12.0-1) ...
Processing triggers for shared-mime-info (1.3-1) ...
```

Amb la comanda `sudo apt-get autoremove` elimino els paquets que ja no són necessaris i aconseguixo alliberar 40 MB addicionals d'espai de disc:

```
# apt-get autoremove
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following packages will be REMOVED:
  coinor-libcbc3 coinor-libcgl1 coinor-libclp1 coinor-libcoinmp1 coinor-
libcoinutils3 coinor-libosil firebird2.5-common firebird2.5-common-doc
firebird2.5-server-common
  libabw-0.1-1 libcdr-0.1-1 libclucene-contribs1 libclucene-core1
libcmis-0.4-4 libe-book-0.1-1 libeot0 libetonyek-0.1-1 libexttextcat-2.0-0
libfbclient2 libfbembed2.5
  libfreehand-0.1-1 libgltf-0.0-0 libhsqldb1.8.0-java liblangtag-common
liblangtag1 libmspub-0.1-1 libmwaw-0.3-3 libodfgen-0.1-1 liborcus-0.8-0
libvisio-0.1-1 libwps-0.3-3
0 upgraded, 0 newly installed, 31 to remove and 0 not upgraded.
After this operation, 40.4 MB disk space will be freed.
Do you want to continue? [Y/n]
(Reading database ... 199414 files and directories currently installed.)
Removing coinor-libcoinmp1:amd64 (1.7.6+dfsg1-1) ...
Removing coinor-libcbc3 (2.8.12-1) ...
...
Processing triggers for libc-bin (2.19-18+deb8u10) ...
Processing triggers for man-db (2.7.0.2-5) ...
```

Eliminació de programari sense us: PostgreSQL

Actualment no fem ús del gestor de base de dades PostgreSQL, de forma que la desinstal·lo.

Primer comprovo quines bases de dades hi ha definides per si calgués fer una còpia de seguretat,

```
$ psql -l

                                List of databases
   Name          |  Owner   | Encoding | Collate  |  Ctype   |
Access privileges
-----+-----+-----+-----+-----+
 postgres        | postgres | UTF8     | en_US.UTF-8 | en_US.UTF-8 |
 sermnadmin-db   | sermnadmin | UTF8     | en_US.UTF-8 | en_US.UTF-8 |
 template0       | postgres | UTF8     | en_US.UTF-8 | en_US.UTF-8 |
=c/postgres      |          |          |             |             |
 postgres=CTc/postgres
 template1       | postgres | UTF8     | en_US.UTF-8 | en_US.UTF-8 |
 postgres=CTc/postgres+
```

```
=c/postgres
(4 rows)
```

Només la bd "sermnadmin-db" podria contenir informació, de forma que em connecto i comprovo que no conté res,

```
$ psql -d sermnadmin-db
psql (9.4.26)
Type "help" for help.
sermnadmin-db=> \dt
No relations found.
sermnadmin-db=> \conninfo
You are connected to database "sermnadmin-db" as user "sermnadmin" via
socket in "/var/run/postgresql" at port "5432".
sermnadmin-db=> \dS+

                                List of relations
 Schema | Name | Type | Owner | Size
-----+-----+-----+-----+-----
 pg_catalog | pg_aggregate | table | postgres | 48 kB
 pg_catalog | pg_am | table | postgres | 40 kB
 ...
 pg_catalog | pg_user_mappings | view | postgres | 0 bytes
 pg_catalog | pg_views | view | postgres | 0 bytes
(99 rows)

sermnadmin-db=> \q
```

Així doncs, PostgreSQL es pot desinstal·lar i amb això guanyem 38 MB d'espai de disc.

```
# apt-get remove postgresql*
Reading package lists... Done
Building dependency tree
Reading state information... Done
Note, selecting 'libghc-haskellldb-hdbc-postgresql-dev' for regex
'postgresql*'
Note, selecting 'postgresql-9.4-asnloid' for regex 'postgresql*'
...
Package 'postgresql-client' is not installed, so not removed
Package 'postgresql-server-dev-all' is not installed, so not removed
Package 'pure-ftpd-postgresql' is not installed, so not removed
The following packages will be REMOVED:
 autopostgresqlbackup postgresql postgresql-9.4 postgresql-client-9.4
 postgresql-client-common postgresql-common postgresql-contrib postgresql-
 contrib-9.4 postgresql-doc postgresql-doc-9.4
```

```
0 upgraded, 0 newly installed, 10 to remove and 0 not upgraded.
After this operation, 37.8 MB disk space will be freed.
Do you want to continue? [Y/n] Y
(Reading database ... 199161 files and directories currently installed.)
Removing autopostgresqlbackup (1.0-5) ...
Removing postgresql (9.4+165+deb8u4) ...
Removing postgresql-contrib (9.4+165+deb8u4) ...
Removing postgresql-contrib-9.4 (9.4.26-0+deb8u1) ...
...
Processing 1 removed doc-base file...
Registering documents with dwww...
Registering documents with scrollkeeper...
```

Comprovació de l'espai de disc disponible

Comprovo l'espai de disc disponible i veig que la partició root està al 33% i té 1,2 GB disponibles, i que la partició “/usr” està al 23% i té 14 GB disponibles.

```
# df -hl
Filesystem      Size  Used Avail Use% Mounted on
udev            10M    0   10M   0% /dev
tmpfs           1.6G  106M   1.5G   7% /run
/dev/sda1       1.9G  561M   1.2G  33% /
/dev/sda5       19G   4.0G   14G  23% /usr
tmpfs           3.9G   156K   3.9G   1% /dev/shm
tmpfs           5.0M    0   5.0M   0% /run/lock
tmpfs           3.9G    0   3.9G   0% /sys/fs/cgroup
/dev/sda8       9.1G   4.4G   4.2G  52% /tmp
/dev/sda6      184G  164G   11G  95% /var
/dev/sdb1      459G  366G   70G  84% /var/lib/pydio/data
/dev/sda9      237G  206G   19G  92% /home
tmpfs           787M    0   787M   0% /run/user/1001
tmpfs           787M   16K   787M   1% /run/user/1000
```

Còpies de seguretat

Guardo a `/home/sermnadmin/Documents/Upgrade-from-Debian7-to-Debian8` una còpia de seguretat de les següents carpetes i fitxers:

- `/etc` → `etc`
- `/var/lib/dpkg` → `var-lib-dpkg`
- `/var/lib/apt/extended_states` → `var-lib-apt-extended_states`

```
$ cd Documents/
$ mkdir -p Upgrade-Debian8-to-Debian9/backups
$ cd Upgrade-Debian8-to-Debian9/backups
$ sudo rsync -Hvax /etc .
```

```
[sudo] password for sermnadmin:
sending incremental file list
etc/
etc/.cifs_adminpass_a250auto
etc/.cifs_adminpass_a250robot
...
etc/xml/xml-core.xml.old
etc/xml/resolver/
etc/xml/resolver/CatalogManager.properties

sent 7,986,443 bytes  received 38,206 bytes  2,292,756.86 bytes/sec
total size is 7,813,176  speedup is 0.97

$ sudo rsync -Hvax /var/lib/dpkg ./var-lib-dpkg
sending incremental file list
dpkg/
...
dpkg/triggers/
dpkg/triggers/File
rsync: send_files failed to open "/var/lib/dpkg/triggers/Lock": Permission
denied (13)
dpkg/triggers/Unincorp
dpkg/triggers/aspell-autobuildhash
...
dpkg/triggers/update-default-wordlist
dpkg/triggers/update-initramfs
dpkg/updates/

sent 52,389,705 bytes  received 174,661 bytes  2,841,317.08 bytes/sec
total size is 51,668,529  speedup is 0.98
rsync error: some files/attrs were not transferred (see previous errors)
(code 23) at main.c(1183) [sender=3.1.1]

$ cp /var/lib/apt/extended_states ./var-lib-apt-extended_states

$ cd ..
$ dpkg --get-selections "*" > ./dpkg--get-selections.txt
```

apt-get upgrade & apt-get dist-upgrade

Modifico els fitxers a `/etc/apto/sources.d` i substitueixo *wheezy* per *jessie* per tal d'emprar els magatzems de la versió 8.

Llavors executo la comanda “apt-get update” i em surt el següent error,

```
W: There is no public key available for the following key IDs:
112695A0E562B32A
```

```
W: There is no public key available for the following key IDs:
648ACFD622F3D138
W: GPG error: http://ftp.es.debian.org stretch-backports InRelease: The
following signatures couldn't be verified because the public key is not
available: NO_PUBKEY 648ACFD622F3D138 NO_PUBKEY 0E98404D386FA1D9
W: There is no public key available for the following key IDs:
648ACFD622F3D138
NO_PUBKEY 0E98404D386FA1D9
```

Després d'intentar importar les claus sense èxit, trobo la solució a [gpg: keyserver receive failed: Server indicated a failure](#) on posa que,

Behind a firewall you should use the port 80 instead of the default port 11371 :

```
sudo apt-key adv --keyserver hkp://keyserver.ubuntu.com:80 --recv
9A2FD067A2E3EF7B
```

Ho provo i aconsegueixo importar les claus,

```
$ sudo apt-key adv --keyserver hkp://keyserver.ubuntu.com:80 --recv
648ACFD622F3D138
Executing: gpg --ignore-time-conflict --no-options --no-default-keyring --
homedir /tmp/tmp.YBbvYkFvZu --no-auto-check-trustdb --trust-model always --
keyring /etc/apt/trusted.gpg --primary-keyring /etc/apt/truste
d.gpg --keyring /etc/apt/trusted.gpg.d/deb-multimedia-keyring.gpg --keyring
/etc/apt/trusted.gpg.d/debian-archive-jessie-automatic.gpg --keyring
/etc/apt/trusted.gpg.d/debian-archive-jessie-security-automatic.gp
g --keyring /etc/apt/trusted.gpg.d/debian-archive-jessie-stable.gpg --
keyring /etc/apt/trusted.gpg.d/debian-archive-stretch-automatic.gpg --
keyring /etc/apt/trusted.gpg.d/debian-archive-stretch-security-automati
c.gpg --keyring /etc/apt/trusted.gpg.d/debian-archive-stretch-stable.gpg --
keyring /etc/apt/trusted.gpg.d/debian-archive-wheezy-automatic.gpg --keyring
/etc/apt/trusted.gpg.d/debian-archive-wheezy-stable.gpg --k
eyring /etc/apt/trusted.gpg.d/pkg-mozilla-archive-keyring.gpg --keyring
/etc/apt/trusted.gpg.d/x2go-archive-X2Go-Packages-Automatic-Signing-Key.gpg
--keyring /etc/apt/trusted.gpg.d/x2go-archive-debian-ubuntu-sig
ning-key.gpg --keyring /etc/apt/trusted.gpg.d/x2go-archive-git-admin.gpg --
keyring /etc/apt/trusted.gpg.d/x2go-archive-ncryer.gpg --keyserver
hkp://keyserver.ubuntu.com:80 --recv 648ACFD622F3D138
gpg: requesting key 22F3D138 from hkp server keyserver.ubuntu.com
gpg: key 3CBBABEE: public key "Debian Archive Automatic Signing Key
(10/buster) <ftpmaster@debian.org>" imported
gpg: Total number processed: 1
gpg:             imported: 1 (RSA: 1)

$ sudo apt-key adv --keyserver hkp://keyserver.ubuntu.com:80 --recv
0E98404D386FA1D9
Executing: gpg --ignore-time-conflict --no-options --no-default-keyring --
```

```
homedir /tmp/tmp.z040zw9ohB --no-auto-check-trustdb --trust-model always --
keyring /etc/apt/trusted.gpg --primary-keyring /etc/apt/truste
d.gpg --keyring /etc/apt/trusted.gpg.d/deb-multimedia-keyring.gpg --keyring
/etc/apt/trusted.gpg.d/debian-archive-jessie-automatic.gpg --keyring
/etc/apt/trusted.gpg.d/debian-archive-jessie-security-automatic.gp
g --keyring /etc/apt/trusted.gpg.d/debian-archive-jessie-stable.gpg --
keyring /etc/apt/trusted.gpg.d/debian-archive-stretch-automatic.gpg --
keyring /etc/apt/trusted.gpg.d/debian-archive-stretch-security-automati
c.gpg --keyring /etc/apt/trusted.gpg.d/debian-archive-stretch-stable.gpg --
keyring /etc/apt/trusted.gpg.d/debian-archive-wheezy-automatic.gpg --keyring
/etc/apt/trusted.gpg.d/debian-archive-wheezy-stable.gpg --k
eyring /etc/apt/trusted.gpg.d/pkg-mozilla-archive-keyring.gpg --keyring
/etc/apt/trusted.gpg.d/x2go-archive-X2Go-Packages-Automatic-Signing-Key.gpg
--keyring /etc/apt/trusted.gpg.d/x2go-archive-debian-ubuntu-sig
ning-key.gpg --keyring /etc/apt/trusted.gpg.d/x2go-archive-git-admin.gpg --
keyring /etc/apt/trusted.gpg.d/x2go-archive-ncryer.gpg --keyserver
hkp://keyserver.ubuntu.com:80 --recv 0E98404D386FA1D9
gpg: requesting key 386FA1D9 from hkp server keyserver.ubuntu.com
gpg: key 8DD47936: public key "Debian Archive Automatic Signing Key
(11/bullseye) <ftpmaster@debian.org>" imported
gpg: Total number processed: 1
gpg:             imported: 1 (RSA: 1)
```

```
$ sudo apt-key adv --keyserver hkp://keyserver.ubuntu.com:80 --recv
112695A0E562B32A
Executing: gpg --ignore-time-conflict --no-options --no-default-keyring --
homedir /tmp/tmp.A3MSGXFPDF --no-auto-check-trustdb --trust-model always --
keyring /etc/apt/trusted.gpg --primary-keyring /etc/apt/truste
d.gpg --keyring /etc/apt/trusted.gpg.d/deb-multimedia-keyring.gpg --keyring
/etc/apt/trusted.gpg.d/debian-archive-jessie-automatic.gpg --keyring
/etc/apt/trusted.gpg.d/debian-archive-jessie-security-automatic.gp
g --keyring /etc/apt/trusted.gpg.d/debian-archive-jessie-stable.gpg --
keyring /etc/apt/trusted.gpg.d/debian-archive-stretch-automatic.gpg --
keyring /etc/apt/trusted.gpg.d/debian-archive-stretch-security-automati
c.gpg --keyring /etc/apt/trusted.gpg.d/debian-archive-stretch-stable.gpg --
keyring /etc/apt/trusted.gpg.d/debian-archive-wheezy-automatic.gpg --keyring
/etc/apt/trusted.gpg.d/debian-archive-wheezy-stable.gpg --k
eyring /etc/apt/trusted.gpg.d/pkg-mozilla-archive-keyring.gpg --keyring
/etc/apt/trusted.gpg.d/x2go-archive-X2Go-Packages-Automatic-Signing-Key.gpg
--keyring /etc/apt/trusted.gpg.d/x2go-archive-debian-ubuntu-sig
ning-key.gpg --keyring /etc/apt/trusted.gpg.d/x2go-archive-git-admin.gpg --
keyring /etc/apt/trusted.gpg.d/x2go-archive-ncryer.gpg --keyserver
hkp://keyserver.ubuntu.com:80 --recv 112695A0E562B32A
gpg: requesting key E562B32A from hkp server keyserver.ubuntu.com
gpg: key CAA96DFA: public key "Debian Security Archive Automatic Signing Key
(10/buster) <ftpmaster@debian.org>" imported
gpg: Total number processed: 1
gpg:             imported: 1 (RSA: 1)
```

Torno a executar la comanda ``apt-get update`` i aquest cop finalitza sense missatges d'error,

```
$ sudo apt-get update
Hit http://security.debian.org stretch/updates InRelease
Ign http://ftp.es.debian.org stretch InRelease
Hit http://ftp.es.debian.org stretch-updates InRelease
Get:1 http://ftp.es.debian.org stretch-backports InRelease [99.9 kB]
...
Get:15 http://ftp.es.debian.org stretch-backports/contrib amd64 Packages
[10.9 kB]
Get:16 http://ftp.es.debian.org stretch-backports/non-free amd64 Packages
[33.2 kB]
Fetched 1,884 kB in 4s (416 kB/s)
Reading package lists... Done
```

Llavors executo primer la comanda `apt-get upgrade` per fer una actualització mínima abans de fer la gran actualització de Debian amb la comanda `apt-get dist-upgrade`.

From:
<https://sermn.uab.cat/wiki/> - **SeRMN Wiki**

Permanent link:
https://sermn.uab.cat/wiki/doku.php?id=informatica:servidor_internet_2009_debian_9&rev=1659612562

Last update: **2022/08/04 13:29**

