

Changelog dels canvis de la 1.1.7 a la 1.3.0

Aquests són els canvis fets de la versió 1.1.7 a la versió 1.3.0. Al llistat s'esmenta,

- el nom del fitxer modificat
- la versió del fitxer al [CVS de Sourceforge](#) (**extended:**)
- una descripció breu dels canvis fets

ChangeLog file

Aquestes són les línies al fitxer *ChangeLog* que descriuen de forma general els canvis entre les 1.1.7 i 1.3.0. A l'apartat següent es poden consultar les modificacions a nivell de fitxer.

- bugfix: masquerade action has not to allow to make a booking for user who hasn't permission for the instrument. Also the action is fixed for instrument admin.
- bugfix: when do the action 'undeleted entry' (users) field suspended of database have to be 0.
- feature: interactive language, user can change program language and its choice will be saved in database
- feature: password format changed from md5_compat to md5
- feature: activate tableHeader, the style can be changed in .css file
- feature: added action "Configure system" to configure program settings (copy of 1.1.5 version)
- feature: when database fails, now shows the reason of the error although VerboseSQL=0
- feature: for Instrument Admin, main menu 'Instruments' is divided by instruments to manage bookings and instruments to administrate
- feature: restructured .tabularobject style and the way to create tables inside other tables
- feature: some styles change (center) on calendar and lists that use .selectlist
- feature: fixed Reports & Lists to view information about users only from groups and projects active

Root files (/)

index.php

- **Extended: 1.64**
- bugfixes for loading of i18n module: added `require_once 'inc/i18nconfig.php'` after `require_once 'inc/i18n.php'`
- added another `MergeDatabaseTable` to merge language field from users table

General files (inc/)

inc/jsfunctions.php

- **Extended: 1.9**
- added new js function 'disp_confirm()' for language action

inc/menu.php

- **Extended: 1.35.2**
- new function `_constructLanguageForm()`

inc/permissions.php

- **Extended: 1.3.2**
- added 'BBPERM_ADMIN_CONFIG: Permission to configure system (bumblebee.ini atributes)

BB files (inc/bb/)

inc/bb/auth.php

- **Extended: 1.41.2**
- new function `getLanguage`

inc/bb/basicconfigreader.php

- **Extended: 1.15**
- added *global \$TABLEPREFIX* in *MergeDatabaseTable* function
- adapted *MergeDatabaseTable* function because of language table

inc/bb/calendar.php

- **Extended: 1.41.1**
- Style center for calendar table

inc/bb/configreader.php

- **Extended: 1.12.1**
- BUMBLEBEEVERSION is 1.3.0
- changed `$this`→`SessionIndex` variable

inc/bb/project.php

- **Extended: 1.26**
- changes on some table headers names

inc/bb/settings.php

- **Extended: 1.7**

- added *return \$sql_result* in internal functions to allow *magicTag*
- added option “ignore_installer” that it will show a warning if install folder still is in the server location

inc/bb/user.php

- **Extended: 1.32.2**
- added language field for infoOnly
- modified delete() function to delete(\$isdeleted) function to know if user is already deleted or not
- change field order 'User type', User option is the first option instead of Admin option now
- modified display() function
- fixed parameters of connectDB('statususers',...)

Actions files (inc/actions/)

inc/actions/about.php

- **Extended: 1.1**
- deleted the link “fine manual”

inc/actions/actions.php

- **Extended: 1.25.2**
- added new action *settings* from bumblebee 1.1.5
- added new action *languages*
- deleted action “All suspended users” from lists.php

inc/actions/actionfactory.php

- **Extended: 1.30.1**
- added *require_once 'settings.php'*;
- activated restriction: *'\$this->_action->readOnly = ! \$this->checkMagic()'*

inc/actions/calendar.php

- **Extended: 1.1.2**
- fix permissions if user is masqued

inc/actions/consumables.php

- **Extended: 1.23.2**
- added 'Description' table header

inc/actions/groups.php

- **Extended: 1.27.2**
- added 'Description' table header

inc/actions/intruments.php

- **Extended: 1.25.2**
- added 'Description' table header

inc/actions/language.php

- Initial revision

inc/actions/lists.php

- **Extended: 1.2**
- deleted “All users suspended” option because you can see this in “Show suspended users” of “Edit users” option
- fixed lists, only show users from active groups/projects and only see projects from active groups

inc/actions/masquerade.php

- **Extended: 1.21**
- Admin Instrument can only view the users who has permissions for instrument that can book
- You cannot masquerade as a user who is suspended or deleted

inc/actions/masquerade.php

- **Extended: 1.0**
- use `$this→auth→uid` instead `$this→user` to prevent that I can see the bookings of other user when I am masqued

inc/actions/projects.php

- **Extended: 1.30.2**
- added 'Description' table header

inc/actions/settings.php

- **Extended: 1.3**
- added `$set→checkValid()`

inc/actions/useraccount.php

- **Extended: 1.0**
- adapted to new user display() function

inc/actions/users.php

- **Extended: 1.24.2**
- call \$user→delete() with the parameter \$user→isDeleted to know if user is already deleted or not
- fixed showactive option

inc/actions/view.php

- **Extended: 1.62.2**
- separated on another AnchorTableList the instruments for the Instruments admins
- added some conditionals options if action masquerade is activated

inc/actions/viewbase.php

- **Extended: 1.2.2**
- added to _forbiddenError() function the option to print a message without predeterminate end

Formlib files (inc/formslib/)

inc/formslib/anchortablelist.php

- **Extended: 1.13.2**
- tableHeaders are created correctly now
- style change in display() function (tabular center)

inc/formslib/dbchoicelist.php

- **Extended: 1.39.1**
- Fix DBChoiceList function for when *deleted* and *suspended* are nullable
- Fix query (deleting AS *.\$this→table.*) because it can fail
- Use !is_null() instead (\$var <> NULL)

inc/formslib/dbrow.php

- **Extended: 1.50.1**
- modified displayInTable() function, now each array of database has his own table (tabularobject2 in CSS)
- modified displayAsTable() function to adapted to displayInTable() function

inc/formslib/droplist.php

- **Extended: 1.16.1**
- adapted *display* and *selectable* functions to permit attributes inside <select > form

inc/formslib/nondbrow.php

- copy from 1.1.5 to run settings action correctly

inc/formslib/passwdfield.php

- **Extended: 1.15**
- new \$crypt_method is 'md5' instead of 'md5_compat'

inc/formslib/sql.php

- **Extended: 1.28**
- deleted the line that didn't let see the reason of sql error unless VerboseSQL=1

CSS files (theme/)

theme/bumblebee.css

- **Extended: 1.41.1**
- fixed width to table.selectlist and border-collapse
- added #bumblebeecontent a:link and #bumblebeecontent a:visited
- added .tabularobject2 and some changes of table's styles

theme/bumblebee-custom-colors.css

- **Extended: 1.16.1**
- some changes on .tabularobject

theme/pagelayout.css

- **Extended: 1.12**
- added #language

Configuration files (config/)

config/bumblebee.ini

- **Extended: 1.65.2**
- LocalPassToken default value is md5

Install files (install/)

install/setup-tables.sql

- **Extended: 1.11.2**
- new table: settings (copy from bumblebee 1.1.5)
- new table: languages including inserts commands to this table
- added language field to users table (language field = name field of languages table)
- removed *deleted* field of statususers table

From:
<https://sermn.uab.cat/wiki/> - SeRMN Wiki

Permanent link:
https://sermn.uab.cat/wiki/doku.php?id=sermn_wiki:userpages:marta:changelog_117_a_130&rev=1330000284

Last update: **2012/02/23 13:31**

